



Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Bright Green

SKU: LTBG

Lot: 12192



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WHITE 6 (CI:77891), YELLOW 138 (CI:56300), WATER, MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, GREEN 7 (CI:74260), BENZYL ALCOHOL, DISODIUM SALT, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR)

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)

Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)
Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthrene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)

5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)
3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m- phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'- methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Dark Aqua 1

SKU: LTDA1

Lot: 12325



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): GREEN 7 (CI:74260), WATER, WHITE 6 (CI:77891), MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, DISODIUM SALT, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR)

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)
Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)

Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)
5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)

3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m- phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'- methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team



X *Eric Gurtkuran*

Quality & Safety Manager



Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Dark Blue 1

SKU: LTDB1

Lot: 12246



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WATER, BLUE 15 (CI:74160), WHITE 6 (CI:77891), MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR), DISODIUM SALT

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)

Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)
Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthrene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)

5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)
3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m- phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'- methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Dark Blue 3

SKU: LTDB31

Lot: 12248



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WATER, BLUE 15 (CI:74160), MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR), DISODIUM SALT
No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)
Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)
Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)

Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)
--------------------	-----------	-----------	--------------------

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)
5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)
3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)

4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m-phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'-methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)
Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Dark Grey 1

SKU: LTDG11

Lot: 12249



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WHITE 6 (CI:77891), WATER, MODIFIED ACRYLIC POLYMER, BLACK 7 (CI:77266), GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR), DISODIUM SALT

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)

Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)
Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthrene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)

5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)
3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m- phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'- methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Dark Orange 1

SKU: LTDO11

Lot: 12296



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WATER, ORANGE 73 (CI:561170), MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, RED 254 (CI:56110), RED 170 (CI:12475), ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, DISODIUM SALT, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR), BLACK 7 (CI:77266)

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)

Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)
Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthrene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)

5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)
3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m- phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'- methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Dark Purple 1

SKU: LTDPU1

Lot: 12345



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WATER, WHITE 6 (CI:77891), RED 238 (CI: 173995), MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, BLUE 15 (CI:74160), TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, DISODIUM SALT, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR)

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)

Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)
Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthrene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)

5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)
3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m- phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'- methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Dark Slate 1

SKU: LTDS

Lot: 12331



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WHITE 6 (CI:77891), WATER, MODIFIED ACRYLIC POLYMER, BLUE 15:3 (CI:74160), GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, BLACK 7 (CI:77266), ETHOXYLATED FATTY ALCOHOLS, SORBITOL, YELLOW 138 (CI:56300), BENZYL ALCOHOL, DISODIUM SALT, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR)

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)

Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)
Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthrene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)

5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)
3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m- phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'- methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Dark Teal 1

SKU: LTDT11

Lot: 12250



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WATER, WHITE 6 (CI:77891), GREEN 7 (CI:74260), BLUE 15 (CI:74160), MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, DISODIUM SALT, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR)

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)

Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)
Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthrene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)

5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)
3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m- phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'- methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Grey 1

SKU: LTG11

Lot: 12363



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WHITE 6 (CI:77891), WATER, MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BLACK 7 (CI:77266), BENZYL ALCOHOL, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR), DISODIUM SALT

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)

Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)
Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthrene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)

5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)
3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m-phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'-methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Light Aqua 1

SKU: LTLA1

Lot: 12406



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WHITE 6 (CI:77891), WATER, MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, GREEN 7 (CI:74260), BENZYL ALCOHOL, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR), DISODIUM SALT

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)

Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)
Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthrene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)

5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)
3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m- phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'- methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team



X *Eric Gurtkuran*

Quality & Safety Manager



Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Light Aqua 2

SKU: LTLA2

Lot: 12193



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WHITE 6 (CI:77891), WATER, MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, GREEN 7 (CI:74260), TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR), DISODIUM SALT

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)

Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)
Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthrene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)

5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)
3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m-phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'-methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Light Aqua 3

SKU: LTLA3

Lot: 12253



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WHITE 6 (CI:77891), WATER, GREEN 7 (CI:74260), MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, DISODIUM SALT, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR)

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)

Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)
Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthrene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)

5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)
3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m- phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'- methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Light Blue 1

SKU: LTLB1

Lot: 12298



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WHITE 6 (CI:77891), WATER, MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, DISODIUM SALT, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR), BLUE 15:3 (CI:74160)

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)

Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)
Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthrene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)

5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)
3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m- phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'- methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Light Blue 2

SKU: LTLB2

Lot: 12256



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WHITE 6 (CI:77891), WATER, MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, BLUE 15 (CI:74160), DISODIUM SALT, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR)

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)

Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)
Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthrene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)

5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)
3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m- phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'- methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Light Clay 1

SKU: LTLC1

Lot: 12307



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WHITE 6 (CI:77891), WATER, YELLOW 42 (CI:77492), RED 101 (CI:77491), MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR), DISODIUM SALT

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)

Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)
Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthrene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)

5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)
3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m- phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'- methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Light Grey 1

SKU: LTLG1

Lot: 12255



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WHITE 6 (CI:77891), WATER, MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, MINERAL OIL, BLACK 7 (CI:77266), AMMONIUM HYDROXIDE (pH REGULATOR), DISODIUM SALT

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)
Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)

Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)
5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)

3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m-phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'-methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Light Green 1

SKU: LTLGN1

Lot: 12196



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WHITE 6 (CI:77891), WATER, MODIFIED ACRYLIC POLYMER, YELLOW 138 (CI:56300), GLYCERIN, PROPYLENE GLYCOL, TEA, YELLOW 180 (CI:21290), ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, DISODIUM SALT, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR), BLUE 15:3 (CI:74160)
No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)
Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)

Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)
5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)

3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m- phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'- methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Light Pink 1

SKU: LTLP1

Lot: 12315



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WHITE 6 (CI:77891), WATER, MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, RED 170 (CI:12475), MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR), DISODIUM SALT

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)
Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)

Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)
5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)

3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m- phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'- methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Light Pink 2

SKU: LTLP2

Lot: 12199



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WHITE 6 (CI:77891), WATER, MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, RED 170 (CI:12475), ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, DISODIUM SALT, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR)

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)
Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)

Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)
5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)

3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m-phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'-methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Light Purple 2

SKU: LTLPU2

Lot: 12333



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WHITE 6 (CI:77891), WATER, MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, RED 170 (CI:12475), ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, BLUE 15 (CI:74160), DISODIUM SALT, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR)

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)
Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)

Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)
5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)

3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m- phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'- methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Light Red 1

SKU: LTLR1

Lot: 12200



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WATER, RED 170 (CI:12475), WHITE 6 (CI:77891), MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, DISODIUM SALT, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR)

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)
Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)

Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)
5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)

3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m- phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'- methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Light Teal 1

SKU: LTLT1

Lot: 12257



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WHITE 6 (CI:77891), WATER, MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, GREEN 7 (CI:74260), BLUE 15 (CI:74160), ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR), DISODIUM SALT

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)
Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)

Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)
5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)

3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m- phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'- methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Light Turquoise 1

SKU: LTLTU1

Lot: 12342



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WHITE 6 (CI:77891), WATER, MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, BLUE 15:3 (CI:74160), SORBITOL, BENZYL ALCOHOL, DISODIUM SALT, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR), YELLOW 180 (CI:21290)

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)
Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)

Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)
5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)

3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m-phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'-methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Light Violet 1

SKU: LTLV1

Lot: 12343



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WHITE 6 (CI:77891), WATER, MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, BLUE 15:3 (CI:74160), RED 238 (CI: 173995), DISODIUM SALT, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR)

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)

Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)
Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthrene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)

5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)
3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m- phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'- methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Light Yellow 1

SKU: LTLY1

Lot: 12208



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WHITE 6 (CI:77891), WATER, MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, YELLOW 138 (CI:56300), ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, DISODIUM SALT, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR)

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)
Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)

Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)
5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)

3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m-phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'-methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Medium Blue 1

SKU: LTMB1

Lot: 12321



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WHITE 6 (CI:77891), WATER, MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, BLUE 15 (CI:74160), ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR), DISODIUM SALT

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)
Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)

Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)
5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)

3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m-phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'-methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Medium Blue 2

SKU: LTMB2

Lot: 12290



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WHITE 6 (CI:77891), WATER, MODIFIED ACRYLIC POLYMER, GLYCERIN, BLUE 15:3 (CI:74160), PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, DISODIUM SALT, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR)

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)
Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)

Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)
5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)

3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m-phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'-methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Medium Blue 3

SKU: LTMB3

Lot: 12258



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WHITE 6 (CI:77891), WATER, BLUE 15 (CI:74160), MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR), DISODIUM SALT

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)
Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)

Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)
5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)

3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m- phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'- methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Medium Blue 4

SKU: LTMB4

Lot: 12294



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WHITE 6 (CI:77891), WATER, MODIFIED ACRYLIC POLYMER, BLUE 15 (CI:74160), GLYCERIN, PROPYLENE GLYCOL, BLUE 15:3 (CI:74160), TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, DISODIUM SALT, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR)

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)
Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)

Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)
5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)

3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m- phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'- methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team



X *Eric Gurtkuran*

Quality & Safety Manager



Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Medium Clay 1

SKU: LTMC1

Lot: 12210



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): RED 101 (CI:77491), WHITE 6 (CI:77891), WATER, MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR), DISODIUM SALT

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)
Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)

Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)
5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)

3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m-phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'-methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Medium Orange 1

SKU: LTMO1

Lot: 12211



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WATER, ORANGE 73 (CI:561170), MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, DISODIUM SALT, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR)

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)
Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)

Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)
5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)

3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m-phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'-methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Medium Purple 1

SKU: LTMPU1

Lot: 12335



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WHITE 6 (CI:77891), WATER, MODIFIED ACRYLIC POLYMER, RED 170 (CI:12475), GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, BLUE 15 (CI:74160), ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, DISODIUM SALT, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR)

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)
Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)

Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)
5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)

3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m- phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'- methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Medium Red 1

SKU: LTMR1

Lot: 12212



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WATER, RED 170 (CI:12475), MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, DISODIUM SALT, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR)
No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)
Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)
Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)

Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)
--------------------	-----------	-----------	--------------------

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthrene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)
5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)
3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)

4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m-phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'-methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthalene		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)
Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Medium Slate 1

SKU: LTMS1

Lot: 12259



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WHITE 6 (CI:77891), WATER, MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, BLUE 15 (CI:74160), SORBITOL, BENZYL ALCOHOL, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR), BLACK 7 (CI:77266), DISODIUM SALT, YELLOW 180 (CI:21290)

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)
Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)

Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)
5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)

3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m- phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'- methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Medium Teal 1

SKU: LTMT1

Lot: 12260



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WHITE 6 (CI:77891), WATER, MODIFIED ACRYLIC POLYMER, GREEN 7 (CI:74260), GLYCERIN, BLUE 15 (CI:74160), PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, DISODIUM SALT, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR)

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)
Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)

Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)
5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)

3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m-phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'-methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Mixing White

SKU: LTMW

Lot: 12261



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WHITE 6 (CI:77891), WATER, GLYCERIN, MODIFIED ACRYLIC POLYMER, PROPYLENE GLYCOL, TEA, ETHOXYLATED FATTY ALCOHOLS, ACRYLATES COPOLYMERS, SORBITOL, BENZYL ALCOHOL, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR), DISODIUM SALT
No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)
Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)
Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)

Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)
--------------------	-----------	-----------	--------------------

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)
5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)
3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)

4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m-phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'-methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthalene		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)
Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Medium Yellow 1

SKU: LTM Y1

Lot: 12286



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): YELLOW 138 (CI:56300), WATER, WHITE 6 (CI:77891), MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, DISODIUM SALT, ORANGE 36 (CI:11780), MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR)

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)
Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)

Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)
5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)

3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m-phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'-methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Medium Yellow 3

SKU: LTMY3

Lot: 12214



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): YELLOW 138 (CI:56300), WATER, WHITE 6 (CI:77891), MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, ORANGE 73 (CI:561170), ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, DISODIUM SALT, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR)

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)

Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)
Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthrene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)

5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)
3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m- phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'- methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Obsidian Black

SKU: LTOL

Lot: 12359



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WATER, BLACK 7 (CI:77266), GLYCERIN, PROPYLENE GLYCOL, MODIFIED ACRYLIC POLYMER, TEA, ETHOXYLATED FATTY ALCOHOLS, ACRYLATES COPOLYMERS, BENZYL ALCOHOL, DISODIUM SALT, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR)

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)
Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)

Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)
5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)

3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m- phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'- methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Pure Orange

SKU: LTPO

Lot: 12301



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WATER, ORANGE 73 (CI:561170), MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, ORANGE 36 (CI:11780), ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, DISODIUM SALT, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR), , , , , , ,
No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)
Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)

Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)
5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)

3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m- phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'- methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Pure Yellow

SKU: LTPY

Lot: 12284



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): YELLOW 138 (CI:56300), WATER, MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, DISODIUM SALT, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR)

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)
Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)

Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)
5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)

3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m-phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'-methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X

Eric Gurtkuran

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Red 1

SKU: LTRD1

Lot: 12329



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WATER, RED 254 (CI:56110), MODIFIED ACRYLIC POLYMER, RED 238 (CI: 173995), GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, DISODIUM SALT, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR)

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)

Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)
Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthrene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)

5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)
3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m-phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'-methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Red 1

SKU: LTRD1

Lot: 12329



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WATER, RED 254 (CI:56110), MODIFIED ACRYLIC POLYMER, RED 238 (CI: 173995), GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, DISODIUM SALT, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR)

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)

Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)
Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthrene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)

5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)
3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m- phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'- methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Red 2

SKU: LTRD2

Lot: 12327



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WATER, RED 238 (CI: 173995), RED 254 (CI:56110), MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, DISODIUM SALT, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR)

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)

Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)
Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthrene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)

5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)
3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m- phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'- methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X

Eric Gurtkuran

Quality & Safety Manager





Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.worldfamoustattooink.com

Email: sales@worldfamoustattooink.com

Telephone: +1 (803) 578-9700

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Straight White

SKU: LTSW

Lot: 12265, 12217, 12218



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WHITE 6 (CI:77891), WATER, MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, ACRYLATES COPOLYMERS, ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR), DISODIUM SALT
No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)
Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)
Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)

Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)
--------------------	-----------	-----------	--------------------

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)
5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)
3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)

4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m-phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'-methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthalene		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)
Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager

